L Number	Hits	Search Text	DB	Time stamp
	422	measur\$6 and (gain near3 phase) with detector	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/28 14:37
_	0	(measur\$6 and (gain near3 phase) with detector) and ((log near3 amp) or (logarithmic near3 amplifire))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/03 13:46
-	922	(gain near3 phase) with detector	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/03 13:46
-	0	((gain near3 phase) with detector) and ((log near3 amp) or (logarithmic near3 amplifire))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/03
-	203	((log near3 amp) or (logarithmic near3 amplifire))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/03 13:47
-	161	(((log near3 amp) or (logarithmic near3 amplifire))) and (detector or measur\$6)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/03 13:48
-	145	((((log near3 amp) or (logarithmic near3 amplifire))) and (detector or measur\$6)) and differen\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/03 13:49
_	0	20020025789.URPN.	USPAT	2002/12/03 13:56
-	1	("6486679").PN.	USPAT	2002/12/03
-	5	("4146834"   "4242631"   "4342089"   "4546441"   "5264798").PN. 6486679.URPN.	USPAT USPAT	2002/12/03 18:48 2002/12/03
-	223483	((integrated adj circuit) or IC!)	USPAT	18:51 2002/12/03
-	1	(((integrated adj circuit) or IC!)) and (two near2 log\$ near2 amp\$)	USPAT	18:52 2002/12/03 18:54
-	2	two near2 log\$ near2 amp\$	USPAT	2002/12/03 18:55
-	0	two near2 log\$ near2 amp\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/03 18:57
-	223	log\$ near2 amp\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/03 18:58
-	42	(log\$ near2 amp\$) and (integrated adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/03 18:59
-	1	((log\$ near2 amp\$) and (integrated adj circuit)) and (phase near2 detector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/03

-	19	((log\$ near2 amp\$) and (integrated adj circuit)) and phase	USPAT;	2002/12/03
		cricuit), and phase	US-PGPUB; EPO; JPO;	19:05
			DERWENT;	
			IBM_TDB	1
-	1	("4,978,909").PN.	USPAT	2002/12/03
	0	("im 401001510 a") PN	Hann	19:32
-	0	("jp401081510a").PN.	USPAT; US-PGPUB;	2002/12/11
			EPO; JPO;	13.43
			DERWENT;	
			IBM TDB	
_	0	("jp 1081510").PN.	USPAT;	2002/12/11
			US-PGPUB;	15:46
			EPO; JPO; DERWENT;	
			IBM TDB	
_	7	("1081510").PN.	USPAT;	2002/12/11
			US-PGPUB;	15:47
			EPO; JPO;	
1			DERWENT;	
_	3	(two adj logarithmic adj amplifier adj	IBM_TDB USPAT;	2002/12/11
	1	circuits).ab.	US-PGPUB;	16:05
		32333, ( )	EPO; JPO;	
		!	DERWENT;	
	}		IBM_TDB	
-	2	("4906836").PN.	USPAT;	2002/12/11
	1		US-PGPUB; EPO; JPO;	16:06
			DERWENT;	
	}		IBM TDB	}
_	2	4906836.URPN.	USPĀT	2002/12/11
				16:06
_	3	("4309604"   "4379636"   "4568978").PN.	USPAT	2002/12/11
_	1	"4309604".PN.	USPAT	2002/12/11
	1	1303004	OSIMI	16:07
_	1	"4379636".PN.	USPAT	2002/12/11
	_			16:08
_	13	(log\$ near3 amp\$) with phase	USPAT;	2002/12/11
			US-PGPUB; EPO; JPO;	16:30
1	}		DERWENT;	}
			IBM TDB	
_	2	(log\$ near3 amp\$) with (phase near3	USPĀT;	2002/12/11
	l	detector)	US-PGPUB;	16:32
			EPO; JPO; DERWENT;	
1			IBM TDB	
_	166	log adj amp	USPAT;	2003/05/15
1		·	US-PGPUB;	19:16
1	[		EPO; JPO;	[
1			DERWENT; IBM TDB	
\ _	53	(log adj amp) and compress\$4	USPAT;	2003/05/15
1		12-3 -21 mmb/ and compression	US-PGPUB;	19:17
1	}		EPO; JPO;	
	1		DERWENT;	
] _	100	log add amp	IBM_TDB USPAT;	2003/05/16
( -	166	log adj amp	US-PGPUB;	2003/05/16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	219	log near3 amp	USPAT;	2003/05/16
1			US-PGPUB; EPO; JPO;	12:03
			DERWENT;	
			IBM TDB	

	<del></del>	T T and the state of the state	1 <del></del>	
-	244	log near5 amp	USPAT;	2003/05/16
1			US-PGPUB;	12:04
			EPO; JPO;	
	I		DERWENT; IBM TDB	
-	8	(log near5 amp) and (phase near3	USPAT;	2003/05/16
	1	detector)	US-PGPUB;	12:16
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	1
-	64	(log near5 amp) and compress\$4	USPAT;	2003/05/16
1	1		US-PGPUB;	12:16
{			EPO; JPO;	1
			DERWENT; IBM TDB	1
_	17762	measur\$6 and (phase near3 detector)	USPAT;	2003/10/27
			US-PGPUB;	13:18
			EPO; JPO;	1
	1		DERWENT;	
	2107	(man and Contact to the and to the	IBM_TDB	0000/10/25
-	2197	(10000000000000000000000000000000000000	USPAT;	2003/10/27
	1	324/\$.ccls.	US-PGPUB; EPO; JPO;	11:29
			DERWENT;	
			IBM TDB	
-	2	((measur\$6 and (phase near3 detector))	USPAT;	2003/10/27
		and 324/\$.ccls.) and (log adj amp)	US-PGPUB;	11:33
	1		EPO; JPO;	
1			DERWENT;	
	42526		IBM_TDB	222241242
-	43526	phase near3 detector	USPAT;	2003/10/27
			US-PGPUB; EPO; JPO;	11:33
	1		DERWENT;	
1			IBM TDB	
-	52157	measure near3 system	USPĀT;	2003/10/27
			US-PGPUB;	11:34
			EPO; JPO;	
1			DERWENT;	
_	1175	(phase near3 detector) and (measure near3	IBM_TDB USPAT;	2003/10/27
	11/3	system)	US-PGPUB;	11:34
	}	,	EPO; JPO;	
Į	1		DERWENT;	
1	1		IBM_TDB	
-	217		USPAT;	2003/10/27
1	1	near3 system)) and (comparat\$4 near5	US-PGPUB;	11:35
	1	signal)	EPO; JPO; DERWENT;	
Į.	{		IBM TDB	
-	28	(((phase near3 detector) and (measure	USPAT;	2003/10/27
1	1	near3 system)) and (comparat\$4 near5	US-PGPUB;	11:42
l		signal)) and 324/\$.ccls.	EPO; JPO;	
1			DERWENT;	
1	7006		IBM_TDB	2002/22/23
-	7296	phase nearl detector and comparator	USPAT;	2003/10/27
]	1		US-PGPUB; EPO; JPO;	11:43
	1		DERWENT;	
			IBM TDB	
-	99	log near2 (amplifier or amp) and	USPĀT;	2003/10/27
	[	differen\$2 near amplifier	US-PGPUB;	11:45
			EPO; JPO;	
			DERWENT;	
_	4	<pre></pre>	IBM_TDB	2002/10/27
	]	amplifier) and (log near2 (amplifier or	USPAT; US-PGPUB;	2003/10/27 11:45
		amp) and differen\$2 near amplifier)	EPO; JPO;	11.70
ļ		may, more and order any amparator,	DERWENT;	
			IBM TDB	i

		T		T
-	307	phase nearl detector and differen\$2 near amplifier	USPAT; US-PGPUB;	2003/10/27
		quibititer	EPO; JPO;	13:20
			DERWENT;	
			IBM_TDB	
-	37	, 'L'	USPAT;	2003/10/27
		amplifier) and 324/\$.ccls.	US-PGPUB; EPO; JPO;	11:57
			DERWENT;	
			IBM_TDB	
-	10957	measur\$6 and (phase nearl detector)	USPAT;	2003/10/27
	1		US-PGPUB; EPO; JPO;	13:19
	]		DERWENT;	
1			IBM_TDB	
_	1120	(measur\$6 and (phase near1 detector)) and	USPAT;	2003/10/27
1	1	differen\$4 near1 amplifier	US-PGPUB;	13:19
l	1		EPO; JPO; DERWENT;	
]			IBM TDB	
-	1120	(measur\$6 and (phase near1 detector)) and	USPĀT;	2003/10/27
1	1	(differen\$4 near amplifier)	US-PGPUB;	13:19
1	1		EPO; JPO; DERWENT;	
			IBM TDB	
-	10957	measur\$6 and (phase near detector)	USPAT;	2003/10/27
1	1		US-PGPUB;	13:19
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	2090	phase nearl detector and differen\$4 near	USPĀT;	2003/10/27
1		amplifier	US-PGPUB;	13:20
}			EPO; JPO;	
			DERWENT; IBM TDB	
_	1055	(phase nearl detector and differen\$4 near	USPAT;	2003/10/27
	1	amplifier) and measure\$6	US-PGPUB;	13:21
1			EPO; JPO;	
ļ			DERWENT; IBM TDB	
_	161	((phase nearl detector and differen\$4	USPAT;	2003/10/27
	1	near amplifier) and measure\$6) and	US-PGPUB;	13:54
l		324/\$.ccls.	EPO; JPO;	
1			DERWENT;	
-	730	   (phase near detector) near5 multiplier	USPAT;	2003/10/27
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	13:54
			EPO; JPO;	}
			DERWENT;	
_	523	(phase near detector) near3 multiplier	USPAT;	2003/10/27
	_ 5	,	US-PGPUB;	13:54
	[		EPO; JPO;	
			DERWENT; IBM TDB	
_	26	((phase near detector) near3 multiplier)	USPAT;	2003/10/27
	_ ,	and 324/\$.ccls.	US-PGPUB;	14:05
			EPO; JPO;	
			DERWENT;	
-	320	((phase near detector) near3 multiplier)	IBM_TDB USPAT;	2003/10/27
	•	and amplifier	US-PGPUB;	14:05
			EPO; JPO;	
			DERWENT;	
	75	((phase near detector) near3 multiplier)	IBM_TDB USPAT;	2003/10/27
		and differen\$6 near amplifier	US-PGPUB;	14:18
		-	EPO; JPO;	
ı			DERWENT;	
L	l		IBM TDB	l

-	1	(((phase near detector) near3 multiplier)	USPAT;	2003/10/27
1		and differen\$6 near amplifier) and 324/\$.ccls.	US-PGPUB; EPO; JPO;	14:21
1		324, 4.6613.	DERWENT;	]
1			IBM TDB	\
-	1	(((phase near detector) near3 multiplier)	USPAT;	2003/10/27
1		and differen\$6 near amplifier) and	US-PGPUB;	14:22
		(interface near circuit)	EPO; JPO;	<u> </u>
			DERWENT; IBM TDB	
-	5	(((phase near detector) near3 multiplier)	USPAT;	2003/10/27
l		and differen\$6 near amplifier) and	US-PGPUB;	14:48
		interface	EPO; JPO;	
			DERWENT;	j
ļ	7	//m/hana man dataatan) man 2 mm/halaa han)	IBM_TDB	2002/10/07
-	/	((phase near detector) near3 multiplier) and interface near circuit	USPAT; US-PGPUB;	2003/10/27
		and intellace near circuit	EPO; JPO;	14.31
			DERWENT;	Į į
			IBM_TDB	
-	219	((phase near detector) near3 multiplier)	USPAT;	2003/10/27
	1	and measur\$6	US-PGPUB;	15:53
	[		EPO; JPO; DERWENT;	
	1		IBM TDB	
-	93	( \1	USPAT;	2003/10/27
	1	and (measur\$6 near5 phase)	US-PGPUB;	17:10
	1		EPO; JPO;	
	1		DERWENT;	
_	54519	   power near amplifier	IBM_TDB   USPAT;	2003/10/27
	3,313	power near ampiriter	US-PGPUB;	18:13
			EPO; JPO;	
			DERWENT;	1
	20	/	IBM_TDB	2222/12/27
-	26	(power near amplifier) and (log near amp)	USPAT; US-PGPUB;	2003/10/27
	1		EPO; JPO;	17.20
	}		DERWENT;	į į
	1		IBM_TDB	
-	1	plurality nearl (log near amp)	USPAT;	2003/10/27
			US-PGPUB;	17:21
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1	plurality nearl (log near amps)	USPĀT;	2003/10/27
			US-PGPUB;	17:22
1			EPO; JPO;	
			DERWENT; IBM TDB	
_	7	plurality nearl (log near amplifiers)	USPAT;	2003/10/27
		(==9 ::::== 0::::::::::::::::::::::::::::	US-PGPUB;	17:27
			EPO; JPO;	
1			DERWENT;	
_	1707	   HASHIMOTO near HIROSHI	IBM_TDB USPAT;	2003/10/27
Į i	1,0,	IMONITACIO NEGI NINOSMI	USPAT; US-PGPUB;	17:28
]			EPO; JPO;	
			DERWENT;	1
(	[	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	000010015
-	$\begin{bmatrix} 1 \end{bmatrix}$	(HASHIMOTO near HIROSHI	USPAT; US-PGPUB;	2003/10/27
}		) and log near amp\$6	EPO; JPO;	11.50
		, = 5 auth 4	DERWENT;	
]			IBM_TDB	
[ -	1	(HASHIMOTO near HIROSHI	USPAT;	2003/10/27
(		) and log	US-PGPUB;	17:34
		, and log	EPO; JPO; DERWENT;	
_			IBM TDB	

		00/635000		
-	0	09/675902	USPAT;	2003/10/27
			US-PGPUB;	17:34
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	1
-	2	(power near amplifier) near5 log near amp	USPAT;	2003/10/27
1	ì	•	US-PGPUB;	18:14
			EPO; JPO;	1
Ì	1		DERWENT;	
			IBM TDB	
_	3 .	(power near amplifier) with log near amp	USPĀT;	2003/10/27
[			US-PGPUB;	18:14
l			EPO; JPO;	
			DERWENT;	<b>,</b>
			IBM TDB	
<b>\</b> -	6	(power near amplifier) same log near amp	USPĀT;	2003/10/27
1	_	(Final manual ampired of out of mour amp	US-PGPUB;	18:16
			EPO; JPO;	10.10
			DERWENT;	
1			IBM TDB	]
_	26	(power near amplifier) and log near amp	USPAT;	2003/10/27
		(power mode amprilier) and rog mode amp	US-PGPUB;	18:16
ļ	l l		EPO; JPO;	10.10
			DERWENT;	
1			IBM TDB	
_	2	("5789927").PN.	USPAT;	2003/10/28
		( 5/05527 ).FN.	USPAT; US-PGPUB;	14:37
1				14:3/
			EPO; JPO;	1
			DERWENT;	
L	L		IBM TDB	<u> </u>